

# EDITORIAL INDEX

This index is a composite listing of all features (in italics), news articles, and columns published by *Diagnostic Imaging* in 1987. Articles are listed by subject and are cross-referenced as appropriate.

## ABDOMINAL IMAGING

Ultrasound aids in diagnosis of appendicitis, May, p. 35.  
CT, ultrasound best at handling pancreatic disease, June, p. 37.  
Early MR trials define abdominal masses in children, July, p. 38.  
*The liver imaging glut: MRI tops the pecking order*, July, p. 86.  
*Variety of MRI methods useful in liver imaging*, July, p. 96.  
Doppler reveals flow defects in liver disease, August, p. 36.  
*Better contrast gives MR an edge in upper abdomen*, August, p. 90.  
Doppler highlights abdominal defects in premature kids, September, p. 29.  
*Abdominal interventions aid diagnosis and therapy*, October, p. 130.  
Scintigraphy offers clues to rejection of pancreas grafts, November, p. 21.  
Sonologists turn to abdominal organs in AIDS patients, November, p. 54.

## AIDS IMAGING

Myriad symptoms of AIDS patients demand persistence in imaging, May, p. 208.  
*Gallium scintigraphy useful in imaging AIDS infections*, June, p. 104.  
Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
Sonologists turn to abdominal organs in AIDS patients, November, p. 54.

## BONE MINERAL ANALYSIS

QCT work raises questions regarding bone development, January, p. 27.  
*3-D analysis enhances CT bone densitometry*, March, p. 104.  
Talk about screening for osteoporosis may be moot with estrogen, March, p. 184.  
Low estrogen dose effective in bone loss prevention, April, p. 9.  
Opinion of densitometry improves, but doubts about screening linger, June, p. 55.

## BUSINESS & MARKETING

Corporate heads talk slow growth and cutting costs, January, p. 53.  
Compact magnets put more MR vans into motion in Sun Belt states, January, p. 65.  
New lower osmolality agents do not offer total solution, January, p. 75.  
Hot competition at RSNA show leaves some buyers perplexed, February, p. 61.  
Best bets from the RSNA exhibit, February, p. 67.  
Upstart ventures take risks on new interventional tools, March, p. 72.  
Good marketing a key ingredient to a successful imaging center, March, p. 137.  
MR vendors surrender discounts in battle for

market supremacy, May, p. 61.  
Dos and don'ts of MR purchasing, May, p. 71.  
*Packaging PET imaging for community medicine*, June, p. 110.  
Aspiring monoclonal antibody vendors trade research smocks for pinstripes, June, p. 174.  
Essence of marketing MRI center is physician and patient service, July, p. 55.  
Technology, marketing and management undergird profitable MRI program, July, p. 71.  
High-tech costs, currency rates spur overseas expansion, August, p. 43.  
Great field strength debate: history in the unmaking, September, p. 5.  
Growing demand for breast screening won't stop slide in equipment sales, September, p. 61.  
Color Doppler off to slow start but gaining in clinical favor, October, p. 57.  
When shopping for imaging equipment, buyer and seller should both win, November, p. 109.  
After billion-dollar stampede comes day of reckoning in MR, November, p. 129.  
Hot competition in 3-D workstations improves prospects for sales growth, November, p. 339.  
Unpredictable economy evident in both stock market and prospective payment, December, p. 57.

## CARDIAC IMAGING

*Myocardial imaging: new radiotracers aid diagnosis*, January, p. 78.  
IV DSA can spot coronary bypass graft closure, February, p. 29.  
CT found superior in assessment of aortic aneurysm, March, p. 34.  
*Tc-99 agents open doors for myocardial scintigraphy*, April, p. 100.  
Research groups recommend MRI for Marfan's syndrome, May, p. 16.  
*Transesophageal echo: new look at the heart*, July, p. 1987.  
Radiologists help assess success of Jarvik-7 implants, August, p. 13.  
Cine mode extends utility of MR in heart diagnoses, November, p. 216.  
Functional defects show up on cine MR, November, p. 219.  
MRI wins favor of consensus panel in heart and skeleton, December, p. 13.

## CHEST IMAGING

Study finds role for ST in staging lung carcinoma, May, p. 40.  
Bullet-proof Kevlar reduces neonatal chest x-ray dose, October, p. 37.  
ACR rejects rules on chest imaging drafted by Blues, December, p. 25.

## COMPUTED TOMOGRAPHY

3-D CT advances study of early human fossils, February, p. 29.  
*Cine CT proving of value in trauma and pediatrics*, February, p. 112.  
CT a boon to care of trauma patients,

February, p. 130.

CT found superior in assessment of aortic aneurysm, March, p. 34.  
*3-D analysis enhances CT bone densitometry*, March, p. 104.  
*CT a major innovation in care of trauma victims*, March, p. 112.  
CT aids assessment of humeral fracture and spinal fusion, April, p. 11.  
*MRI displaces CT in evaluating stroke*, May, p. 116.  
CT may provide new clues to TIA and stroke, June, p. 31.  
CT, ultrasound best at handling pancreatic disease, June, p. 37.  
Needle aspiration and CT help manage mediastinal cysts, July, p. 31.  
*CT helps refine diagnosis of penetrating injuries*, July, p. 108.  
Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
CT and MR imaging aid diagnosis of postop spinal pain, September, p. 11.  
CT 100% correct in finding masses in head and neck, September, p. 16.  
*CT, MRI offer new view of rheumatological disease*, September, p. 120.  
*Imaging techniques yield clues to memory disorders*, October, p. 122.  
Dual-energy CT can detect overload of iron in children, November, p. 33.  
Follow-up CT shows kids recover well from renal trauma, November, p. 54.  
CT still superior to MR in imaging of orbit pathology, December, p. 16.  
CT and MR display separate strengths in thymic imaging, December, p. 37.

## CONTRAST AGENTS

*Myocardial imaging: new radiotracers aid diagnosis*, January, p. 78.  
High costs make nonionics painful drugs to adopt, January, p. 117.  
Most promising MR agents affect signal by enhancing relaxation, March, p. 145.  
Contrast agents in medical imaging: necessary evil or merely necessary?, May, p. 89.  
Contrast-enhanced MRI offers more than just detection of lesions, May, p. 167.  
Perfusion defects light up on MRI with contrast use, August, p. 23.  
MGH researchers test ferrite agent for MR of liver, GI, August, p. 53.  
Berlex gives its MRI contrast agent a name: Magnevist, September, p. 54.  
*Gadolinium enhances MRI in variety of breast tissues*, September, p. 134.  
New method helps detect blocked Fallopian tubes, October, p. 47.  
Radiologists react to pretreatment of ionic media case, December, p. 11.

## DIGITAL RADIOGRAPHY

Major companies join in developing digital systems, January, p. 49.  
IV DSA can spot coronary bypass graft closure, February, p. 29.  
Dual-energy DSA reveals elevated levels of calcium, November, p. 37.  
Digital format opens new doors for fluoros-

# EDITORIAL INDEX

This index is a composite listing of all features (in italics), news articles, and columns published by *Diagnostic Imaging* in 1987. Articles are listed by subject and are cross-referenced as appropriate.

## ABDOMINAL IMAGING

Ultrasound aids in diagnosis of appendicitis, May, p. 35.  
CT, ultrasound best at handling pancreatic disease, June, p. 37.  
Early MR trials define abdominal masses in children, July, p. 38.  
*The liver imaging glut: MRI tops the pecking order*, July, p. 86.  
*Variety of MRI methods useful in liver imaging*, July, p. 96.  
Doppler reveals flow defects in liver disease, August, p. 36.  
*Better contrast gives MR an edge in upper abdomen*, August, p. 90.  
Doppler highlights abdominal defects in premature kids, September, p. 29.  
*Abdominal interventions aid diagnosis and therapy*, October, p. 130.  
Scintigraphy offers clues to rejection of pancreas grafts, November, p. 21.  
Sonologists turn to abdominal organs in AIDS patients, November, p. 54.

## AIDS IMAGING

Myriad symptoms of AIDS patients demand persistence in imaging, May, p. 208.  
*Gallium scintigraphy useful in imaging AIDS infections*, June, p. 104.  
Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
Sonologists turn to abdominal organs in AIDS patients, November, p. 54.

## BONE MINERAL ANALYSIS

QCT work raises questions regarding bone development, January, p. 27.  
*3-D analysis enhances CT bone densitometry*, March, p. 104.  
Talk about screening for osteoporosis may be moot with estrogen, March, p. 184.  
Low estrogen dose effective in bone loss prevention, April, p. 9.  
Opinion of densitometry improves, but doubts about screening linger, June, p. 55.

## BUSINESS & MARKETING

Corporate heads talk slow growth and cutting costs, January, p. 53.  
Compact magnets put more MR vans into motion in Sun Belt states, January, p. 65.  
New lower osmolality agents do not offer total solution, January, p. 75.  
Hot competition at RSNA show leaves some buyers perplexed, February, p. 61.  
Best bets from the RSNA exhibit, February, p. 67.  
Upstart ventures take risks on new interventional tools, March, p. 72.  
Good marketing a key ingredient to a successful imaging center, March, p. 137.  
MR vendors surrender discounts in battle for

market supremacy, May, p. 61.  
Dos and don'ts of MR purchasing, May, p. 71.  
*Packaging PET imaging for community medicine*, June, p. 110.  
Aspiring monoclonal antibody vendors trade research smocks for pinstripes, June, p. 174.  
Essence of marketing MRI center is physician and patient service, July, p. 55.  
Technology, marketing and management undergird profitable MRI program, July, p. 71.  
High-tech costs, currency rates spur overseas expansion, August, p. 43.  
Great field strength debate: history in the unmaking, September, p. 5.  
Growing demand for breast screening won't stop slide in equipment sales, September, p. 61.  
Color Doppler off to slow start but gaining in clinical favor, October, p. 57.  
When shopping for imaging equipment, buyer and seller should both win, November, p. 109.  
After billion-dollar stampede comes day of reckoning in MR, November, p. 129.  
Hot competition in 3-D workstations improves prospects for sales growth, November, p. 339.  
Unpredictable economy evident in both stock market and prospective payment, December, p. 57.

## CARDIAC IMAGING

*Myocardial imaging: new radiotracers aid diagnosis*, January, p. 78.  
IV DSA can spot coronary bypass graft closure, February, p. 29.  
CT found superior in assessment of aortic aneurysm, March, p. 34.  
*Tc-99 agents open doors for myocardial scintigraphy*, April, p. 100.  
Research groups recommend MRI for Marfan's syndrome, May, p. 16.  
*Transesophageal echo: new look at the heart*, July, p. 1987.  
Radiologists help assess success of Jarvik-7 implants, August, p. 13.  
Cine mode extends utility of MR in heart diagnoses, November, p. 216.  
Functional defects show up on cine MR, November, p. 219.  
MRI wins favor of consensus panel in heart and skeleton, December, p. 13.

## CHEST IMAGING

Study finds role for ST in staging lung carcinoma, May, p. 40.  
Bullet-proof Kevlar reduces neonatal chest x-ray dose, October, p. 37.  
ACR rejects rules on chest imaging drafted by Blues, December, p. 25.

## COMPUTED TOMOGRAPHY

3-D CT advances study of early human fossils, February, p. 29.  
*Cine CT proving of value in trauma and pediatrics*, February, p. 112.  
CT a boon to care of trauma patients,

February, p. 130.

CT found superior in assessment of aortic aneurysm, March, p. 34.  
*3-D analysis enhances CT bone densitometry*, March, p. 104.  
*CT a major innovation in care of trauma victims*, March, p. 112.  
CT aids assessment of humeral fracture and spinal fusion, April, p. 11.  
*MRI displaces CT in evaluating stroke*, May, p. 116.  
CT may provide new clues to TIA and stroke, June, p. 31.  
CT, ultrasound best at handling pancreatic disease, June, p. 37.  
Needle aspiration and CT help manage mediastinal cysts, July, p. 31.  
*CT helps refine diagnosis of penetrating injuries*, July, p. 108.  
Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
CT and MR imaging aid diagnosis of postop spinal pain, September, p. 11.  
CT 100% correct in finding masses in head and neck, September, p. 16.  
*CT, MRI offer new view of rheumatological disease*, September, p. 120.  
*Imaging techniques yield clues to memory disorders*, October, p. 122.  
Dual-energy CT can detect overload of iron in children, November, p. 33.  
Follow-up CT shows kids recover well from renal trauma, November, p. 54.  
CT still superior to MR in imaging of orbit pathology, December, p. 16.  
CT and MR display separate strengths in thymic imaging, December, p. 37.

## CONTRAST AGENTS

*Myocardial imaging: new radiotracers aid diagnosis*, January, p. 78.  
High costs make nonionics painful drugs to adopt, January, p. 117.  
Most promising MR agents affect signal by enhancing relaxation, March, p. 145.  
Contrast agents in medical imaging: necessary evil or merely necessary?, May, p. 89.  
Contrast-enhanced MRI offers more than just detection of lesions, May, p. 167.  
Perfusion defects light up on MRI with contrast use, August, p. 23.  
MGH researchers test ferrite agent for MR of liver, GI, August, p. 53.  
Berlex gives its MRI contrast agent a name: Magnevist, September, p. 54.  
*Gadolinium enhances MRI in variety of breast tissues*, September, p. 134.  
New method helps detect blocked Fallopian tubes, October, p. 47.  
Radiologists react to pretreatment of ionic media case, December, p. 11.

## DIGITAL RADIOGRAPHY

Major companies join in developing digital systems, January, p. 49.  
IV DSA can spot coronary bypass graft closure, February, p. 29.  
Dual-energy DSA reveals elevated levels of calcium, November, p. 37.  
Digital format opens new doors for fluoros-



copic imaging, November, p. 393.

## GI IMAGING

Barium producers seek new strategies to boost sales, April, p. 31.  
*Enteroclysis edges in on follow-through methods*, April, p. 88.  
*For colorectal disease, barium exam still important*, April, p. 94.  
*More to colorectal imaging than just the barium study*, May, p. 130.  
 MGH researchers test ferrite agent for MR of liver, GI, August, p. 53.  
 New scheme avoids overimaging of esophageal reflux, October, p. 23.  
 Air enemas rival barium for reducing intussusception, November, p. 49.

## INTERVENTIONAL RADIOLOGY

Balloon opens narrowed airways in young children, February, p. 16.  
 Angioplasty helps salvage failed CAD bypass grafts, February, p. 21.  
 Percutaneous tools aid management of pancreatic cysts, February, p. 25.  
 Automated method safe for herniated disk removal, March, p. 27.  
 Upstart ventures take risks on new interventional tools, March, p. 72.  
 Interventionalists develop own tools to solve problems they encounter, March, p. 81.  
 British sites combine ultrasound with new invasive techniques, March, p. 129.  
 Nonferromagnetic tools a boon to MRI-guided intervention, March, p. 186.  
 Radiologic tools treat complications of ESWL therapy, May, p. 30.  
 Coronary angioplasty leads growth among interventional procedures, May, p. 85.  
 Armed with new lasers and catheters, interventionalists seek accreditation, June, p. 163.  
 Needle aspiration and CT help manage mediastinal cysts, July, p. 31.  
 Mechanical stents may be solution to occlusion problems, July, p. 40.  
 Intervention offers migraine relief, July, p. 126.  
 Subspecialization may be the key to survival of interventionalists, July, p. 170.  
 Balloon dilatation safe for opening airway stenoses, September, p. 36.  
 As interventional activities broaden, so does exposure to malpractice, Sept., p. 107.  
*Percutaneous diskectomy challenges chymopapain*, September, p. 142.  
*Abdominal interventions aid diagnosis and therapy*, October, p. 130.

## INTRACAVITARY IMAGING

High-frequency probes aid transvaginal sonography, January, p. 98.  
 Vaginal probes could become preferred method in Ob/Gyn, January, p. 100.  
*Prostatic endosonography—a potential screening test*, April, p. 78.  
 Transvaginal probe is a valued partner in obstetric scans, July, p. 28.  
*Ultrasound offers assist in diagnosing prostate cancer*, October, p. 154.  
*Transvaginal sonography assesses early*

*pregnancy*, November, p. 244.  
 Transvaginal mode can help detect ovarian cancer, December, p. 40

## LEGAL ISSUES

By elevating standard of care, MRI also raises liability concerns, April, p. 47.  
 Hospitals without MRI risk legal action, April, p. 50.  
 Radiologic evidence aids prosecution in child abuse cases, August, p. 23.  
 Radiologists at greater legal risk as role in patient care expands, August, p. 75.  
 As interventional activities broaden, so does exposure to malpractice, Sept., p. 107.  
 High standards offer best protection against obstetrical sonography claims, Oct., p. 79.  
 AIUM to collect data on malpractice suits, October, p. 83.  
 Talk to your patients to avoid trouble later with malpractice, November, p. 179.  
 Don't dismiss liability potential of medical radiation exposure, December, p. 120.

## LITHOTRIPSY

*Shock wave lithotripsy: its impact on radiologists*, March, p. 96.  
 Radiologic tools treat complications of ESWL therapy, May, p. 30.  
 Radiologists put in early bid for rights to blast gallstones, August, p. 64.  
 Bile acids assist lithotripsy in gallstone ablation, September, p. 21.  
*Radiologists play key role in managing ESWL cases*, November, p. 224.

## MAMMOGRAPHY

Yearly mammogram promoted for younger women, January, p. 33.  
 Two views may be better than one in breast imaging, April, p. 15.  
 Radiologists should reap benefits from breast screening campaign, April, p. 27.  
 ACS programs bring mammography to the masses, May, p. 35.  
 Low-cost breast screening program takes to the road in St. Louis, June, p. 81.  
 Testing radiologists' mettle with breast cancer screening, July, p. 5.  
 Survey indicates mammographers want more courses, August, p. 33.  
 Second view of breast lesions confirms excision, September, p. 39.  
 Growing demand for breast screening won't stop slide in equipment sales, Sept., p. 61.  
 Having proven its effectiveness, breast screening moves forward, Sept., p. 73.  
*Xero and screen-film: mammography's rival systems*, September, p. 112.  
 Quality, cost are top issues in breast cancer screening, September, p. 149.  
 Mammography screening program calls for special training, September, p. 187.  
 Advances in screen-film mammography improve image quality, Sept., p. 193.  
 Stereotactic breast puncture: new step in breast screening, October, p. 189.  
 Diagnostic problem-solving takes back seat in breast screening, November, p. 371.

Compliance is vital first step to success in breast screening, November, p. 440.

## MEETINGS & CONVENTIONS

Hot competition at RSNA show leaves some buyers perplexed, February, p. 61.  
 Best bets from RSNA exhibit, Feb., p. 67.  
 Fast progress in CSF flow studies among top attractions at RSNA, February, p. 127.  
 Best of the RSNA scientific exhibits, February, p. 138.  
 Technical exhibits are top draw at RSNA's three-ring circus, February, p. 190.  
 ARRS attendance low but sessions reflect Golden Age, July, p. 9.  
 Spectra localization highlights papers at London meeting, July, p. 34.  
 PET and tracers draw most interest at SNM exhibition, August, p. 50.  
 Trans-Atlantic transfer of images inaugurated at Berlin congress, September, p. 181.  
 SMRM charts course emphasizing interdisciplinary nature of MR, October, p. 172.  
 Technological chaos of RSNA fosters trend toward specialties, Nov., p. 103.  
 Market dynamics, not equipment, will be top draw at RSNA show, November, p. 125.  
 Monoclonals shine at nuclear congress, November, p. 380.

## MISCELLANEOUS

Thinking appropriately about basic imaging needs, February, p. 5.  
 ACR's move to Washington proves costly but beneficial, February, p. 43.  
 Female radiologists strive for what many women take for granted, April, p. 35.  
 Don't look back, transcriptionists—voice technology is gaining on you, April, p. 43.  
 Imaging has more to offer than just a pretty face, May, p. 5.  
 Outdated medical devices may have value elsewhere, May, p. 29.  
 Expert systems enable computers to share in imaging decisions, May, p. 146.  
 CAD is leading cause of death among radiologists, June, p. 30.  
 Perceptual study may explain errors in cancer detection, June, p. 33.  
 U.S. health policy agenda: all things to all people?, June, p. 43.  
 'Unofficial' technology assessment yields disorderly but definitive results, June, p. 61.  
 Polite persistence pays off in handling patient billing, June, p. 77.  
*Differential diagnosis key to sports injury evaluation*, June, p. 146.  
 Ethics need not be sacrificed in quest for health-care efficiency, July, p. 61.  
 Voice technology allows computers to listen, perhaps even to talk, July, p. 153.  
 AI may assist radiologists in interpreting images, August, p. 9.  
 Council emphasizes efficacy and cost in tech assessment, August, p. 21.  
 Medical imaging in the year 2020: farsighted view of things to come, August, p. 71.  
 Swedish radiologist treats cancer via body's electrical pathways, August, p. 85.  
 Decision analysis may improve quality of





patient diagnosis, August, p. 158.  
 U.S. military seeks alternatives to film-based imaging, September, p. 49.  
 Systematic approach is best when buying imaging devices, September, p. 93.  
 Forces driving medical marketplace create new priorities in radiology, Nov., p. 156.  
 Degenerative disorders enter surgical era, November, p. 310.  
*1987: the year in review. Imaging goes cross-specialty, December, p. 94.*

## MRI—CLINICAL

Anesthetics and over-the-counter drugs can alter MR times, January, p. 23.  
 MR spectra help researchers track tumor therapy, January, p. 28.  
 MRI can stage hemorrhage in head and neck, January, p. 39.  
 MR angiography measures, displays blood velocity, January, p. 92.  
 MRI takes lead in spine, speakers report at RSNA, January, p. 107.  
*Biological effects of MRI: a clean safety record so far, February, p. 96.*  
*MR may become routine for imaging bone marrow, February, p. 104.*  
*MR useful for evaluating childhood pathology, February, p. 118.*  
 Fast progress in CSF flow studies among top attractions at RSNA, February, p. 127.  
 Technological advances open door to functional imaging with MRI, February, p. 141.  
 MRI can be better understood by defining image weighting, February, p. 164.  
 Spinal imaging brings prosperity but other woes persist in MRI, February, p. 192.  
 MR aids diagnosis of child abuse, neurofibromatosis, March, p. 16.  
 MRI enhances evaluation of some sports injuries, March, p. 36.  
 Most promising MR agents affect signal by enhancing relaxation, March, p. 145.  
 Imaging in 1/125th of a second widens MR's diagnostic window, March, p. 157.  
 Nonferromagnetic tools a boon to MRI-guided intervention, March, p. 186.  
 MRI advantageous in clear detection of TMJ derangements, April, p. 25.  
 Hospitals without MRI risk legal action, April, p. 50.  
 In California, MRI attracts more patients than centers can handle, April, p. 53.  
 MR highly specific for AV necrosis of femoral head, May, p. 11.  
 Research groups recommend MRI for Marfan's syndrome, May, p. 16.  
 MR signal patterns pinpoint malignant hemorrhagic tumor, May, p. 37.  
*Sorting out the meaning of MRI flow phenomena, May, p. 102.*  
*MR flow offers valuable clinical insight, May, p. 108.*  
*Interpreting abnormal foci in MRI of the aging brain, May, p. 114.*  
*MRI displaces CT in evaluating stroke, May, p. 116.*  
*Fast scan MR seeks out its diagnostic niche, May, p. 120.*  
 Contrast-enhanced MRI offers more than

just detection of lesions, May, p. 167.  
 MRI improves the staging of skeletal diseases, June, p. 16.  
*MRI's reputation grows in herniated disk evaluation, June, p. 120.*  
 MRI identifies who may benefit from cyst shunting, July, p. 35.  
 Early MR trials define abdominal masses in children, July, p. 38.  
*The liver imaging glut: MRI tops the pecking order, July, p. 86.*  
*Variety of MRI methods useful in liver imaging, July, p. 96.*  
 Neuroradiologists open doors to brain metabolism with MRI, July, p. 123.  
 Australia wrestles with cost-benefits of high-tech imaging modalities, July, p. 141.  
 Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
 Perfusion defects light up on MRI with contrast use, August, p. 23.  
 MR tracks severity of degeneration in patients with ALS, August, p. 29.  
 MGH researchers test ferrite agent for MR of liver, GI, August, p. 53.  
*Better contrast gives MR an edge in upper abdomen, August, p. 90.*  
*MRI offers first look into pelvic anatomy, August, p. 100.*  
 CT and MR imaging aid diagnosis of postop spinal pain, September, p. 11.  
 Intracranial detail of MRI aids study of speech disorders, September, p. 13.  
 Experts debate MR's role in sellar masses, September, p. 32.  
*CT, MRI offer new view of rheumatological disease, September, p. 120.*  
*MRI helps characterize disorders of the spine, September, p. 128.*  
*Gadolinium enhances MRI in variety of breast tissues, September, p. 134.*  
 MRI turns toward smaller joints, having succeeded in the knee, September, p. 166.  
 Hemorrhage yields diagnostic clues with MR imaging, October, p. 21.  
 Cine MR technique takes imaging lead in brain lesions, October, p. 24.  
 NIH conference should clarify MRI's efficacy, October, p. 33.  
 Fast-scan MRI improves carotid vessel detail, October, p. 40.  
*Imaging techniques yield clues to memory disorders, October, p. 122.*  
 SMRM charts course emphasizing interdisciplinary nature of MR, October, p. 172.  
 Self-evident benefits of spinal MRI should make NIH testimony a breeze, Oct., p. 222.  
 Fast scanning views with spin-echo in MRI of knee, November, p. 11.  
 Role of MRI in breast imaging still ambiguous, November, p. 45.  
 Cine mode extends utility of MR in heart diagnoses, November, p. 216.  
 Functional defects show up on cine MR, November, p. 219.  
*MRI highlights presence of intracranial neoplasms, November, p. 234.*  
*MRI of knee's soft tissues directs treatment options, November, p. 254.*  
*MRI helps detect injury in neonatal, infant*

*brain, November, p. 272.*  
*Surface coils add detail to musculoskeletal MRI, November, p. 282.*  
*Brain iron permits MRI of movement disorders, November, p. 308.*  
 Taking a close look at MRI on its 10th anniversary, December, p. 67.  
*New spinal MR strategies overcome motion artifacts, December, p. 86.*  
*Advances in body imaging enhance utility of MRI, December, p. 74.*  
 MRI wins favor of consensus panel in heart and skeleton, December, p. 13.  
 CT still superior to MR in imaging of orbit pathology, December, p. 16.  
 CT and MR display separate strengths in thymic imaging, December, p. 37.

## MRI—ECONOMICS

Hospitals predicted to lose big from MRI of Medicare patients, January, p. 45.  
 Around-the-clock operation keeps throughput high at MR center, January, p. 166.  
 Skills of technologists can make or break an MRI center, February, p. 85.  
 Users of MRI finally entering phase of realistic optimism, March, p. 87.  
 Unusually clear sailing ahead for MRI diffusion, April, p. 5.  
 Upholding MR image quality can be a complex but profitable pursuit, April, p. 125.  
 MR vendors surrender discounts in battle for market supremacy, May, p. 61.  
 Dos and don'ts of MR purchasing, May, p. 71.  
 Los Angeles centers pursue MRI in ways not possible elsewhere, May, p. 93.  
 Throughput varies at Phoenix sites, May, p. 98.  
 Predicting patient volume crucial to MR latecomers, June, p. 155.  
 Essence of marketing MRI center is physician and patient service, July, p. 55.  
 Technology and management undergird profitable MRI program, July, p. 71.  
 MR imaging centers flourish amid gaps in Texas economy, August, p. 154.  
 Mathematical formula predicts more fallout in MRI industry, October, p. 85.  
 Japanese-built, low-cost MR units targeted for U.S., November, p. 85.  
 Ford Motor Credit may expand funding for MR equipment, November, p. 86.  
 After billion-dollar stampede comes day of reckoning in MR, November, p. 129.  
 With one's livelihood on the line, investing in MRI is serious business, November, p. 167.

## MRI—TECHNICAL

Compact magnets put more MR vans into motion in Sun Belt states, January, p. 65.  
 Technological advances open door to functional imaging with MRI, February, p. 141.  
 MRI can be better understood by defining image weighting, February, p. 164.  
 MR contrast agents affect signal by enhancing relaxation, March, p. 145.  
 Imaging in 1/125th of a second widens MR's diagnostic window, March, p. 157.  
 Making MR extra-fast is no easy task, March, p. 159.  
 Phantoms keep watch on MR parameters,



April, p. 128.  
 Pulse sequence optimizes contrast on IR imaging, May, p. 29.  
 MR signal patterns pinpoint malignant hemorrhagic tumor, May, p. 37.  
*Sorting out the meaning of MRI flow phenomena*, May, p. 102.  
*Fast scan MR seeks out its diagnostic niche*, May, p. 120.  
 Signal averaging suppresses artifacts, May, p. 162.  
 Are ceramic superconductors a hot ticket to low-cost MRI?, July, p. 118.  
 Phase-dependent techniques offer new direction in MRI, August, p. 119.  
 Great field strength debate: history in the unmaking, September, p. 5.  
 Japanese-built, low-cost MR units targeted for U.S., November, p. 85.  
 After billion-dollar stampede comes day of reckoning in MR, November, p. 129.  
 Cine mode extends utility of MR in heart diagnoses, November, p. 216.  
 Functional defects show up on cine MR, November, p. 219.  
 MR potent stimulus to research in many aspects of biomedicine, November, p. 319.  
 Taking a close look at MRI on its 10th anniversary, December, p. 67.  
*New spinal MR strategies overcome motion artifacts*, December, p. 86.  
 Comparing MRI systems: which is best for you?, December, p. 60.  
*Advances in body imaging enhance utility of MRI*, December, p. 74.

## MUSCULOSKELETAL IMAGING

Radiologists clash over best method for imaging TMJ, February, p. 36.  
*MR may become routine for imaging bone marrow*, February, p. 104.  
 CT aids assessment of humeral fracture and spinal fusion, April, p. 11.  
 Pelvic fractures redefined by new classifying scheme, April, p. 16.  
 Sonography safely detects infant hip dislocation, April, p. 24.  
 MRI advantageous in clear detection of TMJ derangements, April, p. 25.  
 MR highly specific for AV necrosis of femoral head, May, p. 11.  
 MRI improves the staging of skeletal diseases, June, p. 16.  
 Ultrasound proves best for evaluating rotator cuff pain, July, p. 25.  
*CT, MRI offer new view of rheumatological disease*, September, p. 120.  
 MRI turns toward smaller joints, having succeeded in the knee, September, p. 166.  
 Fast scanning views with spin-echo in MRI of knee, November, p. 11.  
*Surface coils add detail to musculoskeletal MRI*, November, p. 282.  
 MRI wins favor of consensus panel in heart and skeleton, December, p. 13

## NEUROIMAGING

PET shows how caudate changes tip off Huntington's, January, p. 16.  
 Serial ultrasound aids understanding of

brain disorders, January, p. 37.  
 MRI can stage hemorrhage in head and neck, January, p. 39.  
 MR aids diagnosis of child abuse, neurofibromatosis, March, p. 16.  
*Interpreting abnormal foci in MRI of the aging brain*, May, p. 114.  
*MRI displaces CT in evaluating stroke*, May, p. 116.  
 PET brain mapping aids treatment of childhood epilepsy, June, p. 11.  
 Multi-mode imaging helps detect infant neuro disorders, June, p. 15.  
 CT may provide new clues to TIA and stroke, June, p. 31.  
*SPECT stakes its claim in brain perfusion imaging*, June, p. 128.  
 Neuroradiologists open doors to brain metabolism with MRI, July, p. 123.  
 Neuroradiologists turn to MR and CT in managing AIDS, August, p. 15.  
 PET shows defects in brains of chronic cocaine users, August, p. 16.  
 PET may be used as basis for defining brain-dead patients, August, p. 29.  
 MR tracks severity of degeneration in patients with ALS, August, p. 29.  
 Intracranial detail of MRI aids study of speech disorders, September, p. 13.  
 CT 100% correct in finding masses in head and neck, September, p. 16.  
 Experts debate MR's role in sellar masses, September, p. 32.  
 PET brings more certainty to early diagnosis of Alzheimer's, September, p. 216.  
 Hemorrhage yields diagnostic clues with MR imaging, October, p. 21.  
 Cine MR technique takes imaging lead in brain lesions, October, p. 24.  
 Ultrasound screens for abnormalities in macrorrhania, October, p. 49.  
*Imaging techniques yield clues to memory disorders*, October, p. 122.  
*MRI highlights presence of intracranial neoplasms*, November, p. 234.  
*MRI helps detect injury in neonatal, infant brain*, November, p. 272.  
*Duplex ultrasound assists understanding of stroke*, November, p. 296.  
 SPECT uncovers hypoperfusion in stroke victims, December, p. 27

## NUCLEAR MEDICINE

*Tc-99m agents open doors for myocardial scintigraphy*, April, p. 100.  
 With all the glamour of a fridge, nuclear medicine just hums along, June, p. 65.  
 Tomographic format helps speed acceptance of SPECT, June, p. 90.  
*Gallium scintigraphy useful in imaging AIDS infections*, June, p. 104.  
*SPECT stakes its claim in brain perfusion imaging*, June, p. 128.  
*Indium-111 opens new era for labeled blood products*, June, p. 138.  
 Aspiring monoclonal vendors trade research smocks for pinstripes, June, p. 174.  
 Tc-labeled carbon serves as new agent for ventilation scans, July, p. 34.  
*Detecting perfusion defects with nuclear*

*medicine*, July, p. 102.  
 Radionuclide scans help fight cost of parathyroid surgery, September, p. 33.  
 Blood clots light up with labeled antifibrin MoAb, October, p. 37.  
 Scintigraphy offers clues to rejection of pancreas grafts, November, p. 21.  
 Monoclonals shine at nuclear congress, November, p. 380.

## OB/GYN IMAGING

Doppler studies aid evaluation of fetal well-being, March, p. 11.  
 Ultrasound detects IUGR and defects early in twins, May, p. 25.  
 Transvaginal probe is a valued partner in obstetric scans, July, p. 28.  
 New method helps detect blocked Fallopian tubes, October, p. 47.  
 High standards offer best protection against Ob sonography claims, October, p. 79.  
*Ultrasound can be definitive in abdominal pregnancies*, October, p. 140.  
 Congenital hernia has better outcome in late pregnancy, November, p. 40.  
*Transvaginal sonography assesses early pregnancy*, November, p. 244.  
 Transvaginal mode can help detect ovarian cancer, December, p. 40

## ORGAN TRANSPLANT IMAGING

*Image modes help ensure organ transplant success*, April, p. 64.  
 MR spectra help identify failure in kidney grafts, June, p. 23.  
 Doppler identifies stenosis in patients with new kidneys, August, p. 25.  
*Sonography helps diagnose renal transplant problems*, October, p. 148.  
 Scintigraphy offers clues to rejection of pancreas grafts, November, p. 21.

## PACS

PACS are only as good as their weakest link, January, p. 5.  
 ACR-NEMA standard aims to prevent Tower of Babel in imaging networks, January, p. 133.  
 From pixels to PACS: the image processing connection, January, p. 162.  
 Fast-paced progress in computers ensures feasibility of PACS, April, p. 106.  
 PAC system reliably handles all-digital department, July, p. 148.  
 New PACS society reviews options for sponsorship, August, p. 36.  
 Slow pace of PACS development holds back interface standard, August, p. 133.  
 Rigid demands make image archiving the black hole of PACS development, November, p. 349.

## PEDIATRIC IMAGING

*Cine CT proving of value in trauma and pediatrics*, February, p. 112.  
*Limiting radiation exposure a boon to pediatric imaging*, May, p. 138.  
 PET brain mapping aids treatment of childhood epilepsy, June, p. 11.  
 Multi-mode imaging helps detect infant



neuro disorders, June, p. 15.  
 Early MR trials define abdominal masses in children, July, p. 38.  
 Radiologic evidence aids prosecution in child abuse cases, August, p. 23.  
 Outpatient studies cost-effective, safe for kids, September, p. 23.  
 Doppler highlights abdominal defects in premature kids, September, p. 29.  
 Duplex identifies cerebral blood flow in preterm infants, October, p. 11.  
 New scheme avoids overimaging of esophageal reflux, October, p. 23.  
 Bullet-proof Kevlar reduces neonatal chest x-ray dose, October, p. 37.  
 Dual-energy CT can detect overload of iron in children, November, p. 33.  
 Follow-up CT shows kids recover well from renal trauma, November, p. 54.  
 MRI helps detect injury in neonatal, infant brain, November, p. 272.

#### PELVIC IMAGING

Pelvic fractures redefined by new classifying scheme, April, p. 16.  
 MRI offers first look into pelvic anatomy, August, p. 100.  
 Ultrasound offers assist in diagnosing prostate cancer, October, p. 154.  
 Imaging can spot obstructions that lead to impotence, November, p. 24.

#### PET

PET shows how caudate changes tip off Huntington's, January, p. 16.  
 PET identifies metabolic changes in obesity therapy, April, p. 11.  
 PET brain mapping aids treatment of childhood epilepsy, June, p. 11.  
 Packaging PET imaging for community medicine, June, p. 110.  
 PET shows defects in brains of chronic cocaine users, August, p. 16.  
 PET may be used as basis for defining brain-dead patients, August, p. 29.  
 PET and tracers draw most interest at SNM exhibition, August, p. 50.  
 PET and SPECT remain cornerstones in study of functional diseases, August, p. 141.  
 PET imaging brings more certainty to early diagnosis of Alzheimer's, September, p. 216.  
 Imaging techniques yield clues to memory disorders, October, p. 122.

#### PROSPECTIVE PAYMENT

Hospitals predicted to lose big from MRI of Medicare patients, January, p. 45.  
 Economics and new technology impact future physicians, February, p. 21.  
 Medical groups raise protest over DRG payment plan for RAPs, May, p. 47.  
 RAP-DRG payment plan is no sure bet but radiologists should be ready, July, p. 69.  
 Unpredictable economy evident in both stock market and prospective payment, December, p. 57.

#### RADIATION HAZARDS

Lifetime risk from radiography said to be

low, January, p. 35.  
 Radiologists can inform public on nuclear accidents, February, p. 36.  
 Biological effects of MRI: a clean safety record so far, February, p. 96.  
 Limiting radiation exposure a boon to pediatric imaging, May, p. 138.  
 Prudent use of diagnostic ultrasound requires knowledge of its risks, July, p. 82.  
 NCI study to explore possible link between cancer and x-ray studies, August, p. 41.  
 Don't dismiss liability potential of medical radiation exposure, December, p. 120.

#### RADIATION THERAPY

MR spectra help researchers track tumor therapy, January, p. 28.  
 Imaging assists oncology in shaping cancer therapy, August, p. 108.  
 Radiology and oncology: bridging the gap, August, p. 110.

#### RADIOPHARMACEUTICALS

Indium-111 opens new era for labeled blood products, June, p. 138.  
 Tc-labeled carbon serves as new agent for ventilation scans, July, p. 34.  
 PET and tracers draw most interest at SNM exhibition, August, p. 50.  
 Radionuclide scans help fight cost of parathyroid surgery, September, p. 33.  
 Blood clots light up with labeled antifibrin MoAb, October, p. 37.  
 Monoclonals shine at nuclear congress, November, p. 380.

#### REGULATORY ISSUES

Hospitals predicted to lose big from MRI of Medicare patients, January, p. 45.  
 Radiologists and the new tax law: If you are an artist, paint, February, p. 51.  
 Industry effort to reclassify MR is moving ahead, March, p. 65.  
 Medical groups raise protest over DRG payment plan for RAPs, May, p. 47.  
 Capitation may squelch techniques that do not offer quick pay-back, June, p. 59.  
 HCFA may evaluate radiology charges through review of claims, July, p. 47.  
 RAP-DRG payment plan is no sure bet but radiologists should be ready, July, p. 69.  
 European nations like U.S., restrict equipment sales, September, p. 21.  
 NEMA tackles FDA process for benefit of ultrasound, MRI, September, p. 43.  
 NIH panels find little use for imaging, September, p. 45.  
 NIH conference should clarify MRI's efficacy, October, p. 33.  
 FDA reference manual for inspections upsets medical device manufacturers, October, p. 51.  
 New planning assumptions needed in deregulated imaging climate, October, p. 71.  
 CON proposal and business plan clash, October, p. 75.  
 Imaging industry groups lobby against changes to device act, November, p. 79.  
 Regulation of imaging software comes under scrutiny of FDA, December, p. 47.

#### RENAL IMAGING

Duplex ultrasound identifies renal allograft rejection, January, p. 11.  
 MR spectra help identify failure in kidney grafts, June, p. 23.  
 Doppler identifies stenosis in patients with new kidneys, August, p. 25.  
 Sonography helps diagnose renal transplant problems, October, p. 148.  
 Follow-up CT shows kids recover well from renal trauma, November, p. 54.

#### SCREENING

Ultrasound offers screening test for deep vein clots, February, p. 11.  
 Talk about screening for osteoporosis may be moot with estrogen, March, p. 184.  
 Radiologists should reap benefits from breast screening campaign, April, p. 27.  
 Prostatic endosonography—a potential screening test, April, p. 78.  
 Opinion of densitometry improves, but doubts about screening linger, June, p. 55.  
 Low-cost breast screening program takes to the road in St. Louis, June, p. 81.  
 Testing radiologists' mettle with breast cancer screening, July, p. 5.  
 Growing demand for breast screening won't stop slide in equipment sales, Sept., p. 61.  
 Having proven its effectiveness, breast screening moves forward, Sept., p. 73.  
 Quality, cost are top issues in breast cancer screening, September, p. 149.  
 Mammography screening program calls for special training, September, p. 187.  
 Stereotactic breast puncture: new step in breast screening, October, p. 189.  
 Researchers debate cancer screening with spectroscopy, November, p. 70.  
 Diagnostic problem-solving takes back seat in breast screening, November, p. 371.  
 Compliance is vital first step to success in breast screening, November, p. 440.

#### SOCIO-ECONOMIC ISSUES

Hospitals predicted to lose big from MRI of Medicare patients, January, p. 45.  
 Economics and new technology impact future physicians, February, p. 21.  
 Radiologists and the new tax law: If you are an artist, paint, February, p. 51.  
 How to keep the Golden Age from getting hammered, March, p. 5.  
 Politics of consensus may reward MRI, hold back interventional radiology, March, p. 45.  
 Users of MRI finally entering phase of realistic optimism, March, p. 87.  
 Radiologists should reap benefits from breast screening campaign, April, p. 27.  
 In California, MRI attracts more patients than centers can handle, April, p. 53.  
 Medical groups raise protest over DRG payment plan for RAPs, May, p. 47.  
 Contrast agents in medical imaging: necessary evil or merely necessary?, May, p. 89.  
 Medical technology makes a lousy hood ornament, August, p. 5.  
 Shopping mall health care: let the buyer beware?, September, p. 91.  
 Quality, cost are top issues in breast cancer

screening, September, p. 149.  
How much is enough in health care?, November, p. 160.

#### SPECT

*Tomographic format helps speed acceptance of SPECT*, June, p. 90.  
*SPECT stakes its claim in brain perfusion imaging*, June, p. 128.  
PET and SPECT remain cornerstones in study of functional diseases, August, p. 141.  
SPECT uncovers hypoperfusion in stroke victims, December, p. 27

#### SPECTROSCOPY

MR spectra may help screen blood plasma for cancer, March, p. 13.  
Glimpses into spectroscopy's future reveal promising clinical utility, May, p. 157.  
MR spectra help identify failure in kidney grafts, June, p. 23.  
MR spectroscopy's clinical role remains obscure despite progress, June, p. 204.  
Spectra localization highlights papers at London meeting, July, p. 34.  
Researchers debate cancer screening with spectroscopy, November, p. 70.  
Localization techniques push forward clinical value of MR spectroscopy, November, p. 359.

#### SPINAL IMAGING

MRI takes lead in spine, speakers report at RSNA, January, p. 107.  
Spinal imaging brings prosperity but other woes persist in MRI, February, p. 192.  
MRI's reputation grows in herniated disk evaluation, June, p. 120.  
CT and MR imaging aid diagnosis of postop spinal pain, September, p. 11.  
MRI helps characterize disorders of the spine, September, p. 128.  
Percutaneous discectomy challenges chymopapain, September, p. 142.  
New spinal MR strategies overcome motion artifacts, December, p. 86

#### TELERADIOLOGY

Teleradiology helps Philly hospital shore up referrals, April, p. 21.  
Trans-Atlantic transfer of images inaugurated at Berlin congress, September, p. 181.

#### 3-D IMAGING

3-D CT advances study of early human fossils, February, p. 29.  
*3-D analysis enhances CT bone densitometry*, March, p. 107.  
3-D work stations take hold as lower-priced units move in, April, p. 117.  
Philips undertakes multicenter study of 3-D equipment, May, p. 51.  
*3-D imaging in medicine: synthesizing the third dimension*, November, p. 190.  
Trade-offs important part of 3-D imaging, November, p. 194.  
Science goes for 3-D imagery in big way, November, p. 200.  
*Despite its limitations, 3-D imaging here to stay*, November, p. 206.  
Hot competition in 3-D workstations improves

prospects for sales growth, Nov., p. 339.

#### TISSUE CHARACTERIZATION

Waveform analysis improves tissue differentiation, June, p. 31.  
Doppler moves sonologists closer to tissue characterization, December, p. 166.

#### TRAINING & CERTIFICATION

Armed with new lasers and catheters, interventionalists seek accreditation, June, p. 163.  
Subspecialization may be the key to survival of interventionalists, July, p. 170.  
Survey indicates mammographers want more courses, August, p. 33.  
Debate over subspecialization embroils imaging specialists, September, p. 103.  
Mammography screening program calls for special training, September, p. 187.  
Finding best jobs in tight market takes extra time and training, October, p. 89.

#### TRAUMA IMAGING

*Cine CT proving of value in trauma and pediatrics*, February, p. 112.  
CT a boon to care of trauma patients, February, p. 130.  
Angio-surgical suite optimizes care of trauma victims, March, p. 27.  
*CT a major innovation in care of trauma victims*, March, p. 112.  
*Radiologists and surgeons cooperate in trauma care*, March, p. 118.  
*CT helps refine diagnosis of penetrating injuries*, July, p. 108.  
Follow-up CT shows kids recover well from renal trauma, November, p. 54.

#### ULTRASOUND

Duplex ultrasound identifies renal allograft rejection, January, p. 11.  
Serial ultrasound aids understanding of brain disorders, January, p. 37.  
High-frequency probes aid transvaginal sonography, January, p. 98.  
Vaginal probes could become preferred method in Ob/Gyn, January, p. 100.  
Ultrasound offers screening test for deep vein clots, February, p. 11.  
Doppler studies aid evaluation of fetal well-being, March, p. 11.  
Company develops microbubbles for ultrasound contrast, March, p. 51.  
Five-pound unit offers portable ultrasound imaging, March, p. 60.  
British sites combine ultrasound with new invasive techniques, March, p. 129.  
Sonography safely detects infant hip dislocation, April, p. 24.  
*Prostatic endosonography—a potential screening test*, April, p. 78.  
Color flow Doppler maps vascularity of malignant tumors, May, p. 15.  
Ultrasound detects IUGR and defects early in twins, May, p. 25.  
Ultrasound aids in diagnosis of appendicitis, May, p. 35.  
Ultrasound phantom reveals flaws that standard tests might not see, May, p. 183.

CT, ultrasound best at handling pancreatic disease, June, p. 37.  
Ultrasound proves best for evaluating rotator cuff pain, July, p. 25.  
Transvaginal probe is a valued partner in obstetric scans, July, p. 28.  
Prudent use of diagnostic ultrasound requires knowledge of its risks, July, p. 82.  
*Transesophageal echo: new look at the heart*, July, p. 114.  
Doppler identifies stenosis in patients with new kidneys, August, p. 25.  
Doppler reveals flow defects in liver disease, August, p. 36.  
NEMA tackles FDA process for benefit of ultrasound, MRI, September, p. 43.  
Ultrasound biopsy no longer limited to large masses, October, p. 16.  
Ultrasound screens for abnormalities in macrocrania, October, p. 49.  
Color Doppler off to slow start but gaining in clinical favor, October, p. 57.  
AIUM to collect data on malpractice suits, October, p. 83.  
*Ultrasound can be definitive in abdominal pregnancies*, October, p. 140.  
*Ultrasound offers assist in diagnosing prostate cancer*, October, p. 154.  
High-resolution images become sine qua non of ultrasound, October, p. 161.  
Controlling slice thickness improves ultrasound quality, October, p. 197.  
Sonologists turn to abdominal organs in AIDS patients, November, p. 54.  
*Transvaginal sonography assesses early pregnancy*, November, p. 244.  
*Color helps Doppler echo evaluate congenital defects*, November, p. 288.  
*Duplex ultrasound assists understanding of stroke*, November, p. 296.  
Duplex Doppler captures fancy of ultrasound researchers, December, p. 105.  
Doppler moves sonologists closer to tissue characterization, December, p. 166.  
Pulsed Doppler can sidestep biopsy pitfalls, December, p. 45.  
IUGR score chart boosts diagnostic confidence level, December, p. 25.  
Transvaginal mode can help detect ovarian cancer, December, p. 40

#### VASCULAR IMAGING

*MR angiography measures, displays blood velocity*, January, p. 92.  
Ultrasound offers screening test for deep vein clots, February, p. 11.  
Color flow Doppler maps vascularity of malignant tumors, May, p. 15.  
Carotid scanning: another turf war for radiologists?, June, p. 27.  
Duplex identifies cerebral blood flow in preterm infants, October, p. 11.  
Fast-scan MRI improves carotid vessel detail, October, p. 40.  
Color Doppler off to slow start but gaining in clinical favor, October, p. 57.  
*Going to the depths with duplex Doppler ultrasound*, October, p. 106.  
*Duplex ultrasound assists understanding of stroke*, November, p. 296.

